

## **technoCASE**

### THE MULTIVARIABLE, THERMOPLASTIC ENCLOSURE

#### **IP 66 - Optional: IP 67**

##### **The key product features:**

- Enclosure material: ABS
- Enclosure surface: similar to RAL 7035
- Lid screws stainless steel 1.4567
- Integrated recess in cover for membrane keypad or front plate
- Fire protection class UL-94 HB
- Enclosure seal: Silicone molded gasket

---

technoCASE is a modern range of plastic enclosures for industrial electronics and electrical equipment. The enclosures feature snap-on design strips which hide the lid screws and mounting channels, and give the enclosures their own individual appearance.

The design strips are available in light gray (standard), red, green, blue or yellow for individual color coding or to match company colors. Both the lid and base have a recess for mounting a membrane keypad, face plate or product label. A large range of standard sizes is available. There is also an option to combine various lids and bottoms with each other, increasing the variety. Threaded screw bosses in the lid and base can be used for fitting circuit boards, mounting plates etc. Compatible cable glands, terminal rails and other accessories are also available.

We can supply technoCASE enclosures fully customized to your requirements.

#### **Enclosure sizes**

25

#### **Further information**

Integrated recess for membrane keypads or front plates

Functional and extensive range of accessories

Lid and bottom can be replaced if needed

Enclosure can be supplied as a flush-mounting, surface-mounting or top hat rail mounting model

Transparent lid available on request

Full protective insulation in accordance with VDE 0100

#### **Enclosure**

ABS halogen-free, similar to RAL 7035 light gray

1° mold slope for casting ejection

Special materials and colors on request

#### **Flammability**

UL 94 HB

### **Fastening**

Separate screw channels outside of the enclosure interior.

### **Internal mounting**

Fastening option for self-grooving screws on the base of the enclosure and in the lid

### **Ingress protection**

IP 66 / EN 60529

Optional: IP 67 / EN 60529

### **Gasket**







Silicone gasket

### **Lid screws**

Stainless steel 1.4567, captive

### **Customizing**

Learn more about our [full customizing service for installation-ready enclosures](#)

Photo	No.	Type	Length L	Width W	Height H	Gasket H	Optional available
	200.080.000	TAF 080	80	80	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.082.000	TAF 082	120	80	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.084.000	TAF 084	160	80	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.086.000	TAF 086	240	80	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.120.000	TAF 120	120	120	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.122.000	TAF 122	200	120	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> </ul>



<https://rolec-usa.com>



- Our products are made in Europe.
- DIN rail mounting kit
  - Corrosion proof coating
  - Mounting plates
  - Hinges
  - Sealing set
  - Insert lock



200.124.000

TAF 124

240

120

60

- Coulored coverstrips
- Internal hinges
- Front plate self-adhesive
- External mounting brackets
- Feet



<https://rolec-usa.com>



- Our passion is enclosures.
- Supporting rail for series terminals
  - DIN rail mounting kit
  - Corrosion proof coating
  - Mounting plates
  - Hinges
  - Sealing set
  - Insert lock













Photo	No.	Type	Length L	Width W	Height H	Gasket H	Optional available
	200.160.000	TAF 160	160	160	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.162.000	TAF 162	240	160	60		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	200.202.000	TAF 202	300	200	80		<ul style="list-style-type: none"> <li>- Mounting plates</li> <li>- External mounting brackets</li> <li>- Front plate self-adhesive</li> <li>- Feet</li> <li>- Hinges</li> <li>- Supporting rail for series terminals</li> <li>- Sealing set</li> <li>- Corrosion proof coating</li> <li>- Insert lock</li> </ul>
	200.242.000	TAF 242	360	240	80		<ul style="list-style-type: none"> <li>- Mounting plates</li> <li>- External mounting brackets</li> <li>- Front plate self-adhesive</li> <li>- Feet</li> <li>- Hinges</li> <li>- Supporting rail for series terminals</li> <li>- Sealing set</li> <li>- Corrosion proof coating</li> <li>- Insert lock</li> </ul>
	201.080.000	TA 080	80	80	80		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	201.082.000	TA 082	120	80	80		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>

Photo	No.	Type	Length L	Width W	Height H	Gasket H	Optional available
	201.084.000	TA 084	160	80	80		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	201.086.000	TA 086	240	80	80		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	201.120.000	TA 120	120	120	90		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	201.122.000	TA 122	200	120	90		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	201.124.000	TA 124	240	120	90		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	201.160.000	TA 160	160	160	90		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> </ul>



<https://rolec-usa.com>



- Our products are available in the following configurations.
- DIN rail mounting kit
  - Corrosion proof coating
  - Mounting plates
  - Hinges
  - Sealing set
  - Insert lock



201.162.000      TA 162      240      160      90






- Coulored coverstrips
- Internal hinges
- Front plate self-adhesive
- External mounting brackets
- Feet



<https://rolec-usa.com>



- Our passion is enclosures.
- Supporting rail for series terminals
  - DIN rail mounting kit
  - Corrosion proof coating
  - Mounting plates
  - Hinges
  - Sealing set
  - Insert lock

Photo	No.	Type	Length L	Width W	Height H	Gasket H	Optional available
	201.202.000	TA 202	300	200	120		<ul style="list-style-type: none"> <li>- Mounting plates</li> <li>- External mounting brackets</li> <li>- Front plate self-adhesive</li> <li>- Feet</li> <li>- Hinges</li> <li>- Supporting rail for series terminals</li> <li>- Sealing set</li> <li>- Corrosion proof coating</li> <li>- Insert lock</li> </ul>
	201.242.000	TA 242	360	240	120		<ul style="list-style-type: none"> <li>- Mounting plates</li> <li>- External mounting brackets</li> <li>- Front plate self-adhesive</li> <li>- Feet</li> <li>- Hinges</li> <li>- Supporting rail for series terminals</li> <li>- Sealing set</li> <li>- Corrosion proof coating</li> <li>- Insert lock</li> </ul>
	202.162.000	TAH 162	240	160	120		<ul style="list-style-type: none"> <li>- Coulored coverstrips</li> <li>- Internal hinges</li> <li>- Front plate self-adhesive</li> <li>- External mounting brackets</li> <li>- Feet</li> <li>- Supporting rail for series terminals</li> <li>- DIN rail mounting kit</li> <li>- Corrosion proof coating</li> <li>- Mounting plates</li> <li>- Hinges</li> <li>- Sealing set</li> <li>- Insert lock</li> </ul>
	202.202.000	TAH 202	300	200	160		<ul style="list-style-type: none"> <li>- Mounting plates</li> <li>- External mounting brackets</li> <li>- Front plate self-adhesive</li> <li>- Feet</li> <li>- Hinges</li> <li>- Supporting rail for series terminals</li> <li>- Sealing set</li> <li>- Corrosion proof coating</li> <li>- Insert lock</li> </ul>
	202.242.000	TAH 242	360	240	160		<ul style="list-style-type: none"> <li>- Mounting plates</li> <li>- External mounting brackets</li> <li>- Front plate self-adhesive</li> <li>- Feet</li> <li>- Hinges</li> <li>- Supporting rail for series terminals</li> <li>- Sealing set</li> <li>- Corrosion proof coating</li> <li>- Insert lock</li> </ul>