



## multiVISION Kommando

### IP 65

multiVISION Kommando is a range of command enclosures made from aluminum profiles. The enclosures are highly versatile and robust, and being made-to-measure, allow maximum flexibility for housing machine control equipment.

The enclosure assembly consists of aluminum profiles, in three different sizes, that are combined to give different case depths and front and rear formats. Each multiVISION enclosure is made to order to the exact customer width and height requirements and machined with holes and cutouts to suit. The front panel can be used to mount various assemblies including membrane keypads, displays and touch panels. The enclosures can be hinged with a lock for easy access inside. Optional handle bars can also be fitted for positioning when the enclosure is fitted to a suspension arm. A desk version can also be supplied (with separate display and operating enclosure).

multiVISION Kommando is compatible with all ROLEC suspension arm systems.

#### Enclosure sizes

Made to customer required sizes

L x W x H max. 31,49" x 31,49" x 11,81"

#### Additional info

Versatile control and command enclosure

Articulated front and rear wall door

Assembly of front plates without visible screws

#### Enclosure

Extruded aluminum

Door: Aluminum corner pieces with aluminum profiles

Standard front plates: Aluminum 3 mm, Al Mg 1, silver anodized

Optional: Finished front plates, bored, stamped, engraved or printed

Optional handle frame: Steel pipe, powder coated, RAL 3020, traffic red or RAL 9005, deep black

Enclosure lock: Double bit, triangular, square and special locks also possible

#### Fastening

To a ROLEC suspension arm system or external mounting brackets

#### Internal mounting

Slide-in contour for spring nuts M4/M5

#### Ingress protection

IP 65 / EN 60529

#### Gasket

Enclosure and front plate: Chloroprene O-ring gasket (CR), temperature resistance: -30°C to +90°C

#### Surface

Powder coating RAL 7040, window gray

Optional: Special colors

#### Customizing

Learn more about our full customizing service for installation-ready enclosures

### Sizes / Options

Photo	Part-No.	Type	Length	Width	Height	Ingress protection	Gasket	Available Options
	<b>MVK-01</b>	multiVISION-Kommando MVK-01 120 mm	0	0	0	IP 65 EN 60529	Slotted head screw	Mounting plates, Handle system, Triangular screw, Collar-head screw, Level-fastener, Level-fastener with lock
	<b>MVK-02</b>	multiVISION-Kommando MVK-02 120/60 mm	0	0	0	IP 65 EN 60529	Slotted head screw	Mounting plates, Handle system, Triangular screw, Collar-head screw, Level-fastener, Level-fastener with lock
	<b>MVK-03</b>	multiVISION-Kommando MVK-03 120/120 mm	0	0	0	IP 65 EN 60529	Slotted head screw	Triangular screw, Handle system, Mounting plates, Level-fastener with lock, Level-fastener, Collar-head screw
	<b>MVK-04</b>	multiVISION-Kommando MVK-04 120/180 mm	0	0	0	IP 65 EN 60529	Slotted head screw	Handle system, Mounting plates, Triangular screw, Collar-head screw, Level-fastener, Level-fastener with lock